

Customer Information Sheet

DRAWING No.: G125-32496M3-XX-XX-00 IF IN DOUBT - ASK C NOT TO SCALE THIRD ANGLE PROJECTION ALL DIMENSIONS IN mm








TABLE 2: AVAILABLE VARIANTS				
PART No.	No. OF POWER CONTACTS	No. OF SIGNAL CONTACTS		
G125-32496M3-02-04-00	02	0 4		
G125-32496M3-03-08-00	03	08		
G125-32496M3-04-04-00	0 4	0 4		
G125-32496M3-02-24-00	02	2 4		
G125-32496M3-04-16-00	0.4	16		
G125-32496M3-06-08-00	06	08		



ORDER CODE:

G125-32496M3-XX-XX-00

TABLE I: DIMENSION CALCULATIONS				
DIMENSION	CALCULATION			
DIM 'A'	((TOTAL No. OF SIGNAL CONTACTS -2)x0.625) + ((TOTAL No. OF POWER CONTACTS -1)x3.75) +16.05			
DIM 'B'	((TOTAL No. OF SIGNAL CONTACTS -2)x0.625) + ((TOTAL No. OF POWER CONTACTS -1)x3.75) +11.15			
DIM 'C'	((TOTAL No. OF SIGNAL CONTACTS -2)x0.625) + ((TOTAL No. OF POWER CONTACTS -1)x3.75) +6.60			

RTP	- 1	01.11.22	31971
NAME	ISS.	DATE	CN/CO
APPROVED: A.BOXALL			
CHECK	CHECKED: M.RUDKIN		
DRAWN:		R.PORTLO	CK
CUSTO	OMER F	REF.:	
1			

ASSEMBLY DRG:

NOTES.

- I. HOUSING TO BE USED WITH G125-1010005 OR G125-1020005 MALE SIGNAL CONTACTS, AND G125-1500005 MALE POWER CONTACT.
- 2. FOR ASSEMBLY INSTRUCTIONS SEE INSTRUCTION SHEET IS-38.
- 3. FOR MATERIALS, FINISH AND PERFORMANCE SEE COMPONENT SPECIFICATION C125XX (LATEST ISSUE).
- 4. DRAWING SHOWING G125-32496M3-03-08-00.

HARWIN

www.harwin.com technical@harwin.com THIS DRAWING AND ANY
INFORMATION OR DESCRIPTIVE
MATTER SET OUT HEREON ARE
CONFIDENTIAL AND COPYRIGHT
PROPERTY OF THE HARWIN
GROUP AND MUST NOT BE
DISCLOSED, LOAMED, COPIED
OR USED FOR MANUFACTURING,
TENDERING OR FOR ANY
OTHER PURPOSE WITHOUT

OTHER PURPOSE WITHOUT THEIR WRITTEN PERMISSION TOLERANCES

X. = ±Imm

X.X = ±0.50mn

X.XX = ±0.20mn

X.XXX = ±0.01mn

ANGLES = ±5°

UNLESS STATED

MATERIAL:
SEE NOTE 3
FINISH:

GECKO-MT MALE CABLE HOUSING

DRAWING NUMBER:

G125-32496M3-XX-XX-00 2 or $_{1}$