


Datamate L-Tek Connectors

Female Crimp Contacts – Pre-Crimped Wires

- Female crimp contacts pre-assembled with a choice of BS 3G 210 Type A cable at selected lengths.
- PTFE-insulated, multi-strand silver-plated copper conductor equipment wire.
- Ideal for prototype and pre-production applications.
- For non-standard cable lengths, please visit www.harwin.com/cable-assemblies and fill in your requirements.



DATAMATE L-TEK

FEMALE SINGLE ENDED	FEMALE - FEMALE

TOOLS

Contact Insertion/Removal Tool – Z80-280

- Full crimp connector kits and spare crimp contacts shown on previous pages.
- Instruction sheets available at www.harwin.com/instructions.

HOW TO ORDER

M80 - 9XX 00 99

SERIES CODE

CABLE COLOUR	
99	Red

SINGLE ENDED	FEMALE-FEMALE	
910	918	22 AWG Cable, 150mm length
911	919	24 AWG Cable, 150mm length
912	920	26 AWG Cable, 150mm length
913	921	28 AWG Cable, 150mm length
914	922	22 AWG Cable, 300mm length
915	923	24 AWG Cable, 300mm length
916	924	26 AWG Cable, 300mm length
917	925	28 AWG Cable, 300mm length

All dimensions in mm.