

# Gecko Connectors Tooling

- ❖ Instruction sheets can be accessed at [www.harwin.com/instructions](http://www.harwin.com/instructions).
- ❖ A Gecko Crimping Instruction video is available at [www.harwin.com/harwintv](http://www.harwin.com/harwintv).

HAND CRIMP TOOL	POSITIONER												
<ul style="list-style-type: none"> <li>❖ Precision tool with ratchet mechanism and 8-indent form.</li> <li>❖ Must be used with positioner.</li> <li>❖ Instruction sheet available.</li> </ul>  <table border="1" data-bbox="485 1138 810 1255"> <thead> <tr> <th colspan="2">ORDER CODE</th></tr> </thead> <tbody> <tr> <td>Signal crimps</td><td><b>Z125-900</b></td></tr> <tr> <td>Power crimps</td><td><b>Z125-903</b></td></tr> </tbody> </table>	ORDER CODE		Signal crimps	<b>Z125-900</b>	Power crimps	<b>Z125-903</b>	<ul style="list-style-type: none"> <li>❖ Must be used with hand crimp tool.</li> </ul>  <table border="1" data-bbox="1183 1138 1508 1255"> <thead> <tr> <th colspan="2">ORDER CODE</th></tr> </thead> <tbody> <tr> <td>Signal crimps</td><td><b>Z125-901</b></td></tr> <tr> <td>Power crimps</td><td><b>Z125-904</b></td></tr> </tbody> </table>	ORDER CODE		Signal crimps	<b>Z125-901</b>	Power crimps	<b>Z125-904</b>
ORDER CODE													
Signal crimps	<b>Z125-900</b>												
Power crimps	<b>Z125-903</b>												
ORDER CODE													
Signal crimps	<b>Z125-901</b>												
Power crimps	<b>Z125-904</b>												
INSERTION/REMOVAL TOOL	INSERTION/REMOVAL TOOL												
<ul style="list-style-type: none"> <li>❖ For inserting and removing crimped signal contacts into the rear of housings.</li> <li>❖ Instruction sheet available.</li> </ul>  <table border="1" data-bbox="631 1810 810 1890"> <thead> <tr> <th colspan="2">ORDER CODE</th></tr> </thead> <tbody> <tr> <td colspan="2"><b>Z125-902</b></td></tr> </tbody> </table>	ORDER CODE		<b>Z125-902</b>		<ul style="list-style-type: none"> <li>❖ For inserting and removing crimped power contacts into the rear of housings.</li> <li>❖ Instruction sheet available.</li> </ul>  <table border="1" data-bbox="1330 1810 1508 1890"> <thead> <tr> <th colspan="2">ORDER CODE</th></tr> </thead> <tbody> <tr> <td colspan="2"><b>Z125-905</b></td></tr> </tbody> </table>	ORDER CODE		<b>Z125-905</b>					
ORDER CODE													
<b>Z125-902</b>													
ORDER CODE													
<b>Z125-905</b>													

All dimensions in mm.

Patent Published

# Gecko Connectors Tooling

❖ Instruction sheets can be accessed at [www.harwin.com/instructions](http://www.harwin.com/instructions).

GECKO

<p><b>HEX DRIVE BIT</b></p> <ul style="list-style-type: none"> <li>❖ 1.5mm A/F Hex end for Gecko Screw-Lok Hex Socket fixings.</li> <li>❖ For use with torque tooling or similar equipment.</li> </ul>  <p><b>ORDER CODE</b> Z9950-00</p>	<p><b>BALL HEX DRIVER</b></p> <ul style="list-style-type: none"> <li>❖ 1.5mm A/F Hex end for Gecko Screw-Lok Hex Socket fixings.</li> <li>❖ Ball-shaped end can be used at a wide range of angles.</li> </ul>  <p><b>ORDER CODE</b> Z9952-00</p>
<p><b>SCREWDRIVER</b></p> <ul style="list-style-type: none"> <li>❖ For use with Gecko Screw-Lok board mount nuts.</li> <li>❖ Board mount nuts to be tightened to a torque of <math>21 \pm 2\text{cmN}</math>.</li> </ul>  <p><b>ORDER CODE</b> Z80-298</p>	<p><b>DELATCH TOOL</b></p> <ul style="list-style-type: none"> <li>❖ For assisting with unmating latched connectors.</li> </ul>  <p><b>ORDER CODE</b> Z125-926xx00</p> <p>Replace xx with No. of Contacts: 06, 10, 12, 16, 20, 26, 34 or 50</p>

All dimensions in mm.

Patent Published