


Material Declaration for S1741-46R

Product Information	
Part Number:	S1741-46R
Part Description:	Spring Contact
Part Weight (g):	0.0403

Process Data	
Peak Reflow (Deg. C)	260°C for 10 seconds
Termination Finish	100% Tin over Nickel
RoHS Compliant? (Y/N)	Yes

Homogeneous Material Location	Weight (g)	Tolerance	Substance Name	CAS #
Contact - Phosphor Bronze	0.0352	2%	Copper	7440-50-8
	0.00186	1%	Tin	7440-31-5
	0.000078	0.5%	Phosphorus	7723-14-0
	0	0.000074g max	Nickel (impurity only)	7440-02-0
	0	0.000074g max	Zinc (impurity only)	7440-66-6
Contact - Plating	0	0.000037g max	Iron (impurity only)	7439-89-6
	0	0.000007g max	Lead (impurity only)	7439-92-1
	0	0.000074g max	Other Impurities	
	0.00223	10%	Nickel	7440-02-0
	0.000914	20%	Tin	7440-31-5

Note: Tin plating is subject to 1,000ppm max Lead impurity.

Prepared by: 

Martin J Perry, BSc(Eng) MSc CEng MIET
Compliance Specialist
ComplianceTeam@harwin.co.uk

On behalf of:

